

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S32	1	action context markup dll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/08 11:36
S33	10	action (plugin or (plug adj in)) (xml or markup or html) dll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/12 07:26
S34	10	determin\$3 action text dll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/08 13:19
S35	86	adapt\$6 menu (xml or markup or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/08 14:52
S36	3	S35 task	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/08 15:07
S37	0	715/707-708	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/08 14:55
S38	247	715/707-708.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/08 14:55
S39	11	S35 (personaliz\$3 or customiz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/09 10:38
S40	0	koppolu.in. (personaliz\$3 or customiz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/09 10:39
S41	21	koppolu.in. (personaliz\$3 or customiz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/09 10:39

S42	88	dll dynamic (customiz\$6 or personaliz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/09 11:05
S43	6	dll dynamic (customiz\$6 or personaliz\$6) action	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/09 11:05
S44	10	dll dynamic (customiz\$6 or personaliz\$6) task	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/09 11:06
S45	24	dll dynamic (customiz\$6 or personaliz\$6) function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/09 11:06
S46	40	("5634019" "5699518").PN. OR ("5781189").URPN.	US-PGPUB; USPAT; USOCR	SAME	ON	2005/12/09 13:25
S47	353	determin\$3 (task or function\$6) tag (xml or html or markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/09 14:05
S48	129	determin\$3 (task or function\$6) tag (xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/09 14:05
S49	17	determin\$3 (task or function\$6) tag (xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/12/09 14:21
S50	5	determin\$3 (action) tag (xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/12/09 14:37
S51	388	715/515-516.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/12/09 14:38

S52	2384	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/12/09 14:38
S53	4	xml dll (customiz\$6 or personaliz\$6) document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/12 07:26
S54	0	xml dll (customiz\$6 or personaliz\$6) namespace	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/12 06:18
S55	0	(html or markup) dll (customiz\$6 or personaliz\$6) namespace	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/12 06:19
S56	0	(web adj page) dll (customiz\$6 or personaliz\$6) namespace	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/12 06:23
S57	2	(web adj page) dll (customiz\$6 or personaliz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/12 06:19
S58	3	document dll (customiz\$6 or personaliz\$6) function\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/12 06:23
S59	5	vertelney.in. and task and icon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/12 06:53
S60	112	("4791556" "4931783").PN. OR ("5341293").URPN.	US-PGPUB; USPAT; USOCR	SAME	ON	2005/12/12 06:54
S61	21	(plugin or (plug adj in)) (xml or markup or html) dll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/12 07:26

S62	17	dll semantic label\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/12/12 08:34
-----	----	-----------------------	---	------	----	------------------

	1	Document ID	Issue Date	Title	Current OR	Inventor
1		US 20050182617 A1	20050818	Methods and systems for providing automated actions on recognized text strings in a computer-generated document	704/4	Reynar, Jeff et al.
2		US 20050108195 A1	20050519	Method, system, and apparatus for processing information based on the discovery of semantically labeled strings	707/1	Yalovsky, David et al.
3		US 20040268237 A1	20041230	Leveraging markup language data for semantically labeling text strings and data and for providing actions based on semantically labeled text strings and data	715/513	Jones, Brian et al.

	1	Document ID	Issue Date	Title	Current OR	Inventor
4		US 2004000 1099 A1	20040101	Method and system for associating actions with semantic labels in electronic documents	715/776	Reynar, Jeffrey C. et al.
5		US 2003021 2527 A1	20031113	Method, system, and apparatus for converting numbers between measurement systems based upon semantically labeled strings	702/179	Moore, Thomas G. et al.
6		US 2002008 7591 A1	20020704	Method and system for providing restricted actions for recognized semantic categories	715/500	Reynar, Jeff et al.
7		US 2002003 5581 A1	20020321	Application program interfaces for semantically labeling strings and providing actions based on semantically labeled strings	715/513	Reynar, Jeff et al.

	1	Document ID	Issue Date	Title	Current OR	Inventor
8		US 20020029304 A1	20020307	Method and system for defining semantic categories and actions	719/332	Reynar, Jeff et al.
9		US 20020007309 A1	20020117	Method and system for providing electronic commerce actions based on semantically labeled strings	705/14	Reynar, Jeff
10		US 5961620 A	19991005	Extensible communication type manager for a computer system	710/105	Trent; Adam et al.
11		JP 2004046850 A	20040212	METHOD OF AND SYSTEM FOR RELATING ACTION TO SEMANTIC LABEL OF ELECTRONIC DOCUMENT		REYNAR, JEFFREY C et al.
12		EP 1376392 A2	20040102	Method and system for associating actions with semantic labels in electronic documents		REYNAR, JEFFREY C et al.

	1	Document ID	Issue Date	Title	Current OR	Inventor
13		US 2004000 1099 A	20040101	Actions and semantic labels association method in electronic document, involves transmitting extensible markup language elements to action plug-ins in which actions are determined based on received elements for display		BROMAN, P et al.
14		US 2002003 5581 A	20020321	Application program interface implementation for labeling text strings in electronic document, involves causing recognizer plug-in to search listed text items in text received by it		AMMERLAAN, M et al.

	1	Document ID	Issue Date	Title	Current OR	Inventor
15	X	US 2003022 0795 A1	20031127	Method, system, and apparatus for converting currency values based upon semantically labeled strings	704/275	Arayasantip arb, Athapan et al.
16	X	US 2002019 8909 A1	20021226	Method and system for semantically labeling data and providing actions based on semantically labeled data	715/513	Huynh, Tuan et al.
17	X	US 2002017 8008 A1	20021128	Method and system for applying input mode bias	704/272	Reynar, Jeff



dll plugin action

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 228 for dll plugin action. (0.06 seconds)

Developmental Software Environment that is applicable to Small-size Humanoids and Life-size ...

F KANEHIRO, M INABA, H INOUE, H HIRUKAWA, S HIRAI - Self - unit.aist.go.jp

... FP is implemented as a **DLL** which include a ... is constructed and a standing up **action**was acquired[10 ... provides three functions based on a **plugin** architecture , the ...Cited by 10 - [View as HTML](#) - [Web Search](#) - [staff.aist.go.jp](#) - [ieeexplore.ieee.org](#) - [csa.com](#) - [all 5 versions »](#)

GPU, Framework Extensions for the Distributed Search Engine and the Terragen Landscape Generator

R Tegel, T Mengotti - tea.ch

... Figure 5: Distributed Search Engine - we see the crawler in **action**. ... be placed inthe subdirectory /plugins of GPU and the file search **plugin.dll** should be ...[View as HTML](#) - [Web Search](#)

Developing and authoring mixed reality with mx toolkit

JMS Dias, P Santos, R Bastos, L Monteiro, R ... - International Augmented Reality Toolkit Workshop - labmult7.adetti.iscte.pt

... Gallery (allows the system to load **DLL** Shape Plugins ... Mixed Reality One of the **plugin** applications developed ... The user should repeat this **action** (to add Object ...Cited by 1 - [View as HTML](#) - [Web Search](#) - [ieeexplore.ieee.org](#)

Developing and Authoring Mixed Reality with MX Toolkit

JMS Ditts, P Santos, R Silvestre, R Rastos - ieeexplore.ieee.org

Page 1 ART 03 18 Developing and Authoring Mixed Reality with MX Toolkit José

Miguel Salles Ditts, • Miguel.Diasiscte.pt • LuisMonteiro ...

[Web Search](#)

Developmental Software Environment that is applicable to Small-size Humanoids and Life-size ...

HHS HIRAI - Self - ieeexplore.ieee.org

... FP is implemented as a **DLL** which include a ... is constructed and a standing up **action**was acquired[10 ... provides three functions based on a **plugin** architecture , the ...[Web Search](#)

PARAMICS Plugin Document–Ramp metering control

LCHXL Will, P Recker - its.uci.edu

... is a system file of PARAMICS, provided with the **action** and phase ... names of this **plugin**files are: ramp_controller.dll: Modeller **Plugin** ramp_controller-p ...[View as HTML](#) - [Web Search](#)

Extending the Windows Desktop Interface With Connected Handheld Computers

BA Myers, RC Miller, B Bostwick, C Evankovich - 4th USENIX Windows Systems Symposium, 2000 - unix.org

... the hardware (physical) buttons on the PDA to be mapped to any **action**. ... servers, thishappens automatically when PebblesPC loads the **plugin's DLL**, and the ...Cited by 21 - [View as HTML](#) - [Web Search](#) - [db.unix.org](#) - [www-2.cs.cmu.edu](#) - [cs.cmu.edu](#) - [all 8 versions »](#)

Static Verification of Worm and Virus Behavior in Binary Executables using Model Checking

PK Singh, A Lakhota - Information Assurance Workshop, 2003. IEEE Systems, Man and ..., 2003 - ieeexplore.ieee.org

... **action** followed by worm code's send **action** on the ... also includes information aboutall imported **DLL** functions in ... The prototype was built as a **plugin** to the ...Cited by 1 - [Web Search](#) - [cacs.louisiana.edu](#) - [cacs.louisiana.edu](#) - [ieeexplore.ieee.org](#)

Generic Interfaces for Managing Web Data

O Burlaca - cms.neonet.md

... A **plugin** is a **DLL** library. ... For this reason, a special editor **plugin** was developed,

[View as HTML](#) - [Web Search](#)

G Vigna, S Eckmann, RA Kemmerer - Proceedings of DISCEX 2000 - ieeexplore.ieee.org
... and active transitions marked with the **action** timer **t** ... and use them to generate **plugin**
configuration parameters ... eg, “.so” files on Unix, “.dll” files on ...

Goooooooooooooogle ▶

Outdated message

dll plugin action Search

©2005 Google



dll plugin customizing menus

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 7 of 7 for dll plugin customizing menus. (0.09 seconds)

Multi-channel Serial Data Analyzer

P Persson - idt.mdh.se

... 29 4.4 **Plugin** architecture ... as well as the core library (known as mscorlib.dll in Microsoft ... easier for the users to get started with **customizing** our application ...

[View as HTML](#) - [Web Search](#)

(book) An introduction to ToolBook Instructor 8.5

TL Hall - 2002 - tcc-pub.com

... Neuron **Plugin**..... ... 1 **Customizing** ... **DLL**..... ...

[View as HTML](#) - [Web Search](#) - [Library Search](#)

Dataline Software Limited

M Robinson, A Bleach, A Waters, G Parrish, G ... - downloads.dataline.co.uk

Page 1. Dataline Software Limited The team... Mike Robinson Adrian Bleach Alec Waters

George Parrish George Rattray Joss Wickson Robin Flowers Page 2. Trademarks ...

[View as HTML](#) - [Web Search](#)

3. ADM 4. Administration Server 5. AppBuilder 6. Appserver 7. Clusters

POER Notes - RN - progress.com

... the file \$DLC/properties/AdminServerPlugins.properties and is specific to each

AdminServer **plugin**. ... takes 1 input parameter, the object name to cache **menus** for. ...

[View as HTML](#) - [Web Search](#)

Client/Server Based Statistical Computing

W Fakultat, HDKH Lehmann, PDJ Mlynek, D der ... - edoc.hu-berlin.de

... First we describe the XQC from a user's point of view; the functionalities behind the single components, **menus** and icons that are part of the XQC are ...

[View as HTML](#) - [Web Search](#)

Client/Server based statistical computing

H Lehmann - 2004 - ise.wiwi.hu-berlin.de

... of view. Functionalities behind the single components, **menus** and icons that are part of the XQC are explained in detail. A simple ...

[Cited by 1](#) - [View as HTML](#) - [Web Search](#)

D5a Client Platform: Specification

MEM UPM - projects.archetypon.com

... Some of these PDAs also allow to use a stylus; the stylus substitutes a mouse for navigating through on-screen **menus** and controls. ...

[View as HTML](#) - [Web Search](#)

Outdated message

dll plugin customizing menus

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

